

aparici

CORTEN COLLECTION

CERAMIC WALL TILES - REVESTIMIENTO CERÁMICO | PORCELAIN - PORCELÁNICO | IN & OUT - INTERIOR & EXTERIOR



CORTEN




Wall: Corten Oxidum_Oxidum Swell 44,63x119,3 cm | Floor: Vienna Belvedere Natural 59,2x59,2 cm

CORTEN



CORTEN

- White Body
- Pasta Blanca
- Rectified
- Rectificado
- Slight Variation
- Ligera Variación
- High Variation
- Contraste de Tonalidad
- Corten News Ornament
- Double Firing
- Bicocción
- 0,78 cm Thickness
- 0,78 cm Espesor



Corten Ice
44,63x119,3 cm - 17,57"x46,97"

G-3180



Corten Ice
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"

G-3756



Corten Ice Swell
44,63x119,3 cm - 17,57"x46,97"

G-3208



Corten News Ornament
44,63x119,3 cm - 17,57"x46,97"

G-3298

CORTEN NEWS ORNAMENT - 12 DIFFERENT ALEATORY PATTERNS.
CORTEN NEWS ORNAMENT - 12 DECORACIONES DIFERENTES ALEATORIAS.

CORTEN - 20 DIFFERENT ALEATORY PATTERNS.
CORTEN - 20 DECORACIONES DIFERENTES ALEATORIAS.

CORTEN SWELL - 20 DIFFERENT ALEATORY PATTERNS.
CORTEN SWELL - 20 DECORACIONES DIFERENTES ALEATORIAS.

Altair Gold - Silver Lista
1x119,3 cm - 0,39"x46,97"

G-2131

Strato Plata Mate Lista
1x119,3 cm - 0,39"x46,97"

G-2087



*Side View Corner/
Perfil Corner

Corten Corner 45
1,5x44,63 cm
0,59"x17,57"

G-2115

CORTEN CORNER IS AVAILABLE IN ALL COLOURS OF COLLECTION.
CORTEN CORNER ESTÁ DISPONIBLE EN TODOS LOS COLORES DE LA COLECCIÓN.

Series	FormatThickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Corten	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800	31,48
Corten Swell	44,63x119,3x0,78 cm	m²	24	38,33	1,597	3	650	25,23
Corten News Ornament	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800	31,48
Corten Mos. 2,5x2,5	29,75x29,75x0,78 cm	m²	36	28,692	0,797	9	374	9,999
Corten Corner	1,5x44,63 cm	pz	48	3,84	0,08	12	110	2,006



Wall: Corten Ice_Ice Swell_News Ornament 44,63x119,3 cm | Floor: Corten Graphite Natural 59,55x59,55 cm_Corten Graphite Nat. Moscaico 5x5 29,75x29,75 cm

CORTEN

White Body	Rectified	Moderate Variation	High Variation	Double Firing	0,78 cm Thickness
Pasta Blanca	Rectificado	Moderada Variación	Contraste de Tonalidad	Bicocción	0,78 cm Espesor



Corten Oxidum
44,63x119,3 cm - 17,57"x46,97"



G-3180



Corten Oxidum
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756



Corten Oxidum Swell
44,63x119,3 cm - 17,57"x46,97"



G-3208



Corten Sapphire
44,63x119,3 cm - 17,57"x46,97"



G-3180



Corten Sapphire
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756



Corten Sapphire Swell
44,63x119,3 cm - 17,57"x46,97"



G-3208

CORTEN NEWS ORNAMENT - 12 DIFFERENT ALEATORY PATTERNS.
CORTEN NEWS ORNAMENT - 12 DECORACIONES DIFERENTES ALEATORIAS.

CORTEN - 20 DIFFERENT ALEATORY PATTERNS.
CORTEN - 20 DECORACIONES DIFERENTES ALEATORIAS.


CORTEN SWELL - 20 DIFFERENT ALEATORY PATTERNS.
CORTEN SWELL - 20 DECORACIONES DIFERENTES ALEATORIAS.



Corten Iron
44,63x119,3 cm - 17,57"x46,97"



G-3180



Corten Iron
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756



Corten Iron Swell
44,63x119,3 cm - 17,57"x46,97"



G-3208

CORTEN NEWS ORNAMENT - 12 DIFFERENT ALEATORY PATTERNS.
CORTEN NEWS ORNAMENT - 12 DECORACIONES DIFERENTES ALEATORIAS.

CORTEN - 20 DIFFERENT ALEATORY PATTERNS.
CORTEN - 20 DECORACIONES DIFERENTES ALEATORIAS.

CORTEN SWELL - 20 DIFFERENT ALEATORY PATTERNS.
CORTEN SWELL - 20 DECORACIONES DIFERENTES ALEATORIAS.



Wall: Corten Iron 44,63x119,3 cm

Recommended Floor Tiles

Pavimento Recomendado



Corten Oxidum/Sapphire Nat.

99,55x99,55 cm - 39,19"x39,19"
49,75x99,55 cm - 19,59"x39,19"
59,55x59,55 cm - 23,45"x23,45"

Corten Iron Nat.

49,75x99,55 cm - 19,59"x39,19"



G-3284

G-3186

G-3162



G-3186

CORTEN



CORTEN



Wall: Corten Iron Natural 99,55x99,55 cm | Floor: Corten Graphite Natural 99,55x99,55 cm



Wall: Corten Ice_Ice Swell_News Ornament 44,63x119,3 cm Floor: Corten Graphite Natural 59,55x59,55 cm_Corten Graphite Nat. Moscaico 5x5 29,75x29,75 cm

CORTEN

Porcelain	Rectified	High Variation	Double Firing
Porcelánico	Rectificado	Contraste de Tonalidad	Bicocción

RECOMMENDED WALL TILES IN WALL TILE CATALOGUE
REVESTIMIENTO RECOMENDADO EN EL CATÁLOGO WALL TILES



Corten Oxidum Natural
99,55x99,55 cm - 39,19"x39,19"



Corten Oxidum Natural
49,75x99,55 cm - 19,59"x39,19"




Corten Oxidum Nat.  
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Corten Oxidum Nat.  
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Corten Sapphire Natural
99,55x99,55 cm - 39,19"x39,19"



Corten Sapphire Natural
49,75x99,55 cm - 19,59"x39,19"



Corten Sapphire Nat.  
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Corten Sapphire Nat.  
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Corten Oxidum Natural
59,55x59,55 cm - 23,45"x23,45"




CORTEN 100X100 - 16 FACES
CORTEN 100X100 - 16 CARAS

CORTEN 50X100 / 60X60 - 32 FACES
CORTEN 50X100 / 60X60- 32 CARAS



Wall: Corten Oxidum 49,75x99,55 cm_Oxidum Nat. Mosaico Hexagonal 28x30 cm
Floor: Corten Graphite Natural 49,75x99,55cm



Corten Sapphire Natural
59,55x59,55 cm - 23,45"x23,45"



CORTEN 100X100 - 16 FACES
CORTEN 100X100 - 16 CARAS

CORTEN 50X100 / 60X60 - 32 FACES
CORTEN 50X100 / 60X60- 32 CARAS



Wall: Corten Sapphire Natural Mosaico Hexagonal 28x30 cm
Floor: Corten Sapphire Natural 99,55x99,55 cm

UNE-EN 16165 Anexo C (UNE-EN 41901 EX)

CLASE 2

UNE EN 16165 Anexo B (DIN 51130)

R10

ANSI A 137.1-2012

DCOF>0.42

UNE EN 16165 ANEXO C (BS 7976)

PTV>36

								
Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Corten 50X100	49,75x99,55x1 cm	m²	27	40,12	1,486	3	944	34,10
Corten 100X100	99,55x99,55x1 cm	m²	40	39,64	0,991	1	991	23,88
Corten 60X60	59,55x59,55x1 cm	m²	36	51,08	1,419	4	1166	31,75
Corten Nat. Mosaico 5X5	29,75x29,75 cm	m²	36	22,28	0,619	7	489	12,97
Corten Nat. Mosaico Hex.	28x30 cm	pz	36	16,63	0,462	7	400	10,70
Corten Rodapié 50	7,3x49,75 cm	pz	24	12,19	0,508	14	296	11,37
Corten Rodapié 60	7,3x59,55 cm	pz	24	29,21	0,81	18	450	17,80
Corten Rodapié 100	7,3x99,55 cm	pz	16	17,44	1,09	15	411	24,23

CORTEN

- Porcelain
- Rectified
- High Variation
- Double Firing
- Porcelánico
- Rectificado
- Contraste de Tonalidad
- Bicocción


RECOMMENDED WALL TILES IN WALL TILE CATALOGUE
REVESTIMIENTO RECOMENDADO EN EL CATÁLOGO WALL TILES



Corten Iron Natural
49,75x99,55 cm - 19,59"x39,19"



Corten Iron Nat.
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Corten Iron Nat.
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Floor: Corten Iron Natural 49,75x99,55 cm



Corten Graphite Natural
99,55x99,55 cm - 39,19"x39,19"



Corten Graphite Natural
49,75x99,55 cm - 19,59"x39,19"



Corten Graphite Nat.
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Corten Graphite Nat.
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Corten Graphite Natural
59,55x59,55 cm - 23,45"x23,45"



CORTEN 100X100 - 16 FACES
CORTEN 100X100 - 16 CARAS

CORTEN 50X100 / 60X60 - 32 FACES
CORTEN 50X100 / 60X60- 32 CARAS

G-3162

Complementary Pieces | Skirting

Piezas Complementarias | Rodapiés

	Corten Natural Rodapié 50 7,3x49,75 cm - 2,87"x19,59"	G-2071
	Corten Natural Rodapié 60 7,3x59,55 cm - 2,87"x23,45"	G-2071
	Corten Natural Rodapié 100 7,3x99,55 cm - 2,87"x39,19"	G-2115


Complementary Pieces | Steps

Piezas Complementarias | Peldaños

	Corten Nat. Grad. Corten Nat. Grad. Ángulo 99,55x99,55 cm - 39,19"x39,19"	G-2723 G-2779
	Corten Nat. Grad. 60 Corten Nat. Grad. Ángulo 60 59,55x59,55 cm - 23,45"x23,45"	G-2559 G-2609
	Corten Nat. Grad. 100 Corten Nat. Grad. Ángulo 100 49,75x99,55 cm - 19,59"x39,19"	G-2655 G-2723
	Corten Nat. Peld. Corten Nat. Peld. Ángulo 99,55x99,55 cm - 39,19"x39,19"	G-2541 G-2623
	Corten Nat. Peld. 60 Corten Nat. Peld. Ángulo 60 59,55x59,55 cm - 23,45"x23,45"	G-2197 G-2287
	Corten Nat. Peld. 100 Corten Nat. Peld. Ángulo 100 49,75x99,55 cm - 19,59"x39,19"	G-2337 G-2375
	Corten Nat. Tipo L Corten Nat. Tipo L Ángulo 94x99,55 cm - 37,01"x39,19"	G-2609 G-2815
	Corten Nat. Tipo L 60 Corten Nat. Tipo L Ángulo 60 54x59,55 cm - 21,26"x23,45"	G-2375 G-2585
	Corten Nat. Tipo L 100 Corten Nat. Tipo L Ángulo 100 44x99,55 cm - 17,32"x39,19"	G-2503 G-2585

CORTEN 2CM

Porcelain	Rectified	High Variation	Thickness 2CM
Porcelánico	Rectificado	Contraste de Tonalidad	Espesor 2CM



Corten Oxidum Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Corten Sapphire Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Corten Iron Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Corten Graphite Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



CORTEN 50X100 2CM - 32 FACES
CORTEN 50X100 2CM - 32 CARAS

UNE-EN 16165 Anexo C (UNE-EN 41901 EX)
CLASE 3
UNE EN 16165 Anexo B (DIN 51130)
R11
UNE EN 16165 Anexo A (DIN 51097)
C
ANSI A 137.1-2012
DCOF>0.42
UNE EN 16165 ANEXO C (BS 7976)
PTV>36

Complementary Pieces | Steps

Piezas Complementarias | Peldaños



Corten Outdoor 2 CM Tipo L 100
Corten Outdoor 2 CM Tipo L Ángulo
44x99,55 cm - 17,32"x39,19"

G-2609
G-2815



Corten Outdoor 2CM Grid
24,75x99,55 cm - 9,74"x39,19"

G-2375

Corten Outdoor 2CM Grid
24,75x24,75cm - 9,74"x9,74"

G-2171

Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Corten 2 CM	49,75x99,55x2 cm	m²	36	17,82	0,495	1	883	23,59



Floor: Corten Oxidum Natural 49,75x99,55 cm-Corten Oxidum Outdoor 2CM 49,75x99,55 cm