

aparici

CRACKED COLLECTION

CERAMIC WALL TILES - REVESTIMIENTO CERÁMICO | PORCELAIN - PORCELÁNICO | IN & OUT - INTERIOR & EXTERIOR



CRACKED



Wall: Cracked Grey_Graphite Origami 44,63x119,3 cm | Floor: Cracked Grey Natural 99,55x99,55 cm

CRACKED



Wall: Cracked White_White Origami_Cracked Ornament 44,63x119,3 cm | Floor: Flamed Sapphire Natural 49,75x99,55 cm

CRACKED

- White Body
- Rectified
- Slight Variation
- High Variation Cracked Ornament
- Double Firing
- 0,78 cm Thickness
- Pasta Blanca
- Rectificado
- Ligera Variación
- Contraste de Tonalidad Cracked Ornament
- Bicocción
- 0,78 cm Espesor



Cracked White
44,63x119,3 cm - 17,57"x46,97"



G-3180



Cracked White Origami
44,63x119,3 cm - 17,57"x46,97"



G-3208



Cracked Ornament
44,63x119,3 cm - 17,57"x46,97"




G-3298

CRACKED ORNAMENT - 8 DIFFERENT ALEATORY PATTERNS.
CRACKED ORNAMENT - 8 DECORACIONES DIFERENTES ALEATORIAS.

- Altair Gold - Silver Lista
- 1x119,3 cm - 0,39"x46,97"
- G-2131
- Strato Plata Mate Lista
- 1x119,3 cm - 0,39"x46,97"
- G-2087

RECOMMENDED FLOOR TILES IN FLOOR TILE CATALOGUE
PAVIMENTO RECOMENDADO EN EL CATÁLOGO FLOOR TILES



Cracked White
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756



Cracked Corner 45
1,5x44,63 cm
0,59"x17,57"



G-2115

CRACKED CORNER IS AVAILABLE IN ALL COLOURS OF COLLECTION.
CRACKED CORNER ESTÁ DISPONIBLE EN TODOS LOS COLORES DE LA COLECCIÓN.



Cracked Grey
44,63x119,3 cm - 17,57"x46,97"



G-3180



Cracked Grey Origami
44,63x119,3 cm - 17,57"x46,97"



G-3208



Cracked Graphite
44,63x119,3 cm - 17,57"x46,97"




G-3180



Cracked Graphite Origami
44,63x119,3 cm - 17,57"x46,97"




G-3208



Cracked Grey
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756



Cracked Graphite
Mosaico 2,5x2,5
29,75x29,75 cm
11,71"x11,71"



G-3756

Recommended Floor Tiles

Pavimento Recomendado



Cracked White/Grey/Graphite Nat.
99,55x99,55 cm - 39,19"x39,19"
49,75x99,55 cm - 19,59"x39,19"
59,55x59,55 cm - 23,45"x23,45"



G-3268

G-3180

G-3180

Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m²/Box	Pieces/Box	Kg/Pallet	Kg/Box
Cracked	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800,02	31,48
Cracked Origami	44,63x119,3x0,78 cm	m²	24	38,33	1,60	3	680,02	25,23
Cracked Ornament	44,63x119,3x0,78 cm	m²	24	51,12	2,13	4	800	31,48
Cracked Mos. 2,5x2,5	29,75x29,75x0,78 cm	m²	36	28,69	0,797	9	361	10
Cracked Corner	1,5x44,63 cm	pz	48	3,84	0,08	12	110	2,006
Altair Gold/ Silver Lista	1x119,3 cm	pz	15	5,37	0,358	30	97	5,50
Strato Plata Lista	1x119,3 cm	pz	36	44,67	1,241	104	455	12

CRACKED




Wall: Cracked White 49,75x99,55 cm | Floor: Cracked Graphite Natural 99,55x99,55 cm

CRACKED

Porcelain	Rectified	Slight Variation	Double Firing
Porcelánico	Rectificado	Ligera Variación	Bicocción

RECOMMENDED WALL TILES IN WALL TILE CATALOGUE
REVESTIMIENTO RECOMENDADO EN EL CATÁLOGO WALL TILES



Cracked White Natural
99,55x99,55 cm - 39,19"x39,19"

G-3268




Cracked White Natural
49,75x99,55 cm - 19,59"x39,19"

G-3180



Cracked White Nat.
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Cracked White Nat.
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Cracked White Natural
59,55x59,55 cm - 23,45"x23,45"

G-3180



Floor: Cracked White Natural 99,55x99,55 cm



Cracked Graphite Natural
99,55x99,55 cm - 39,19"x39,19"

G-3268




Cracked Graphite Natural
49,75x99,55 cm - 19,59"x39,19"

G-3180



Cracked Graphite Nat.
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Cracked Graphite Nat.
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Cracked Graphite Natural
59,55x59,55 cm - 23,45"x23,45"

G-3180

UNE-EN 16165 Anexo C (UNE-EN 41901 EX)

CLASE 2

UNE EN 16165 Anexo B (DIN 51130)

R10

ANSI A 137.1-2012

DCOF>0.42

UNE EN 16165 ANEXO C (BS 7976)

PTV>36

Series	Format&Thickness	Unit	Flooring					
			Boxes/Pallet	m²/Pallet	m³/Box	Pieces/Box	Kg/Pallet	Kg/Box
Cracked 100X100	99,55x99,55x1 cm	m²	40	39,64	0,99	1	991,44	23,89
Cracked 50x100	49,75x99,55x1 cm	m²	27	40,12	1,49	3	940,75	34,10
Cracked 60x60	59,55x59,55x1 cm	m²	36	51,08	1,42	4	1162,75	31,75
Cracked Ro-50	7,3x49,75 cm	pz	24	15,7	0,654	18	373	14,57
Cracked Ro-60	7,3x59,55 cm	pz	24	18,8	0,81	18	450	17,80
Cracked Ro-100	7,3x99,55 cm	pz	16	17,44	1,09	15	411	24,23
Cracked Nat. Mosaico Hex.	28x30 cm	pz	36	16,63	0,462	7	400	10,70
Cracked Mosaico 5x5	29,75x29,75 cm	m²	36	22,28	0,619	7	489	12,97

Complementary Pieces | Skirting

Piezas Complementarias | Rodapiés

	Cracked Natural Rodapié 50	G-2071
	7,3x49,75 cm - 2,87"x19,59"	
	Cracked Natural Rodapié 60	G-2071
	7,3x59,55 cm - 2,87"x23,45"	
	Cracked Natural Rodapié 100	G-2115
	7,3x99,55 cm - 2,87"x39,19"	

Complementary Pieces | Steps

Piezas Complementarias | Peldaños

	Cracked Natural Gradone 100	G-2655
	Cracked Natural Gradone Ángulo 100	G-2723
	49,75x99,55 cm - 19,59"x39,19"	
	Cracked Natural Gradone 60	G-2559
	Cracked Natural Gradone Ángulo 60	G-2609
	59,55x59,55 cm - 23,45"x23,45"	
	Cracked Natural Gradone	G-2723
	Cracked Natural Gradone Ángulo	G-2779
	99,55x99,55 cm - 39,19"x39,19"	
	Cracked Natural Peldaño 100	G-2337
	Cracked Natural Peldaño Ángulo 100	G-2375
	49,75x99,55 cm - 19,59"x39,19"	
	Cracked Natural Peldaño 60	G-2197
	Cracked Natural Peldaño Ángulo 60	G-2287
	59,55x59,55 cm - 23,45"x23,45"	
	Cracked Natural Peldaño	G-2541
	Cracked Natural Peldaño Ángulo	G-2623
	99,55x99,55 cm - 39,19"x39,19"	
	Cracked Natural Tipo L 100	G-2503
	Cracked Natural Tipo L Ángulo 100	G-2585
	44x99,55 cm - 17,32"x39,19"	
	Cracked Natural Tipo L 60	G-2375
	Cracked Natural Tipo L Ángulo 60	G-2585
	54x59,55 cm - 21,26"x23,45"	
	Cracked Natural Tipo L	G-2609
	Cracked Natural Tipo L Ángulo	G-2815
	94x99,55 cm - 37,01"x39,19"	

CRACKED

Porcelain	Rectified	Slight Variation	Double Firing
Porcelánico	Rectificado	Ligera Variación	Bicocción


RECOMMENDED WALL TILES IN WALL TILE CATALOGUE
REVESTIMIENTO RECOMENDADO EN EL CATÁLOGO WALL TILES




Cracked Grey Natural
99,55x99,55 cm - 39,19"x39,19"



Cracked Grey Natural
49,75x99,55 cm - 19,59"x39,19"



Cracked Grey Nat.
Mosaico Hexagonal G-2143
28x30 cm
11,02"x11,81"



Cracked Grey Nat.
Mosaico 5x5 G-3558
29,75x29,75 cm
11,71"x11,71"



Cracked Grey Natural
59,55x59,55 cm - 23,45"x23,45"



Complementary Pieces | Steps

Piezas Complementarias | Peldaños



Cracked Natural Gradone 100 G-2655
Cracked Natural Gradone Ángulo 100 G-2723
49,75x99,55 cm - 19,59"x39,19"

Cracked Natural Gradone 60 G-2559
Cracked Natural Gradone Ángulo 60 G-2609
59,55x59,55 cm - 23,45"x23,45"

Cracked Natural Gradone G-2723
Cracked Natural Gradone Ángulo G-2779
99,55x99,55 cm - 39,19"x39,19"



Cracked Natural Peldaño 100 G-2337
Cracked Natural Peldaño Ángulo 100 G-2375
49,75x99,55 cm - 19,59"x39,19"

Cracked Natural Peldaño 60 G-2197
Cracked Natural Peldaño Ángulo 60 G-2287
59,55x59,55 cm - 23,45"x23,45"

Cracked Natural Peldaño G-2541
Cracked Natural Peldaño Ángulo G-2623
99,55x99,55 cm - 39,19"x39,19"



Cracked Natural Tipo L 100 G-2503
Cracked Natural Tipo L Ángulo 100 G-2585
44x99,55 cm - 17,32"x39,19"

Cracked Natural Tipo L 60 G-2375
Cracked Natural Tipo L Ángulo 60 G-2585
54x59,55 cm - 21,26"x23,45"

Cracked Natural Tipo L G-2609
Cracked Natural Tipo L Ángulo G-2815
94x99,55 cm - 37,01"x39,19"

Complementary Pieces | Skirting

Piezas Complementarias | Rodapiés



Cracked Natural Rodapié 50 G-2071
7,3x49,75 cm - 2,87"x19,59"

Cracked Natural Rodapié 60 G-2071
7,3x59,55 cm - 2,87"x23,45"

Cracked Natural Rodapié 100 G-2115
7,3x99,55 cm - 2,87"x39,19"



Floor: Cracked Grey Natural 99,55x99,55 cm
CLÍNICA DOS HERMANAS | Kasas Inmobiliaria | Sevilla, Spain

CRACKED 2CM

Porcelain	Rectified	Slight Variation	Thickness 2CM
Porcelánico	Rectificado	Ligera Variación	Espesor 2CM



Cracked White Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Cracked Grey Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



Cracked Graphite Outdoor 2CM
49,75x99,55 cm - 19,59"x39,19"



UNE-EN 16165 Anexo C (UNE-EN 41901 EX)
CLASE 3
UNE EN 16165 Anexo B (DIN 51130)
R11
UNE EN 16165 Anexo A (DIN 51097)
C
ANSI A 137.1-2012
DCOF>0.42
UNE EN 16165 ANEXO C (BS 7976)
PTV>36

Complementary Pieces Steps			Complementary Pieces Grid					
Piezas Complementarias Peldaños			Piezas Complementarias Rejilla					
	Cracked Outdoor 2 CM Tipo L 100 Cracked Outdoor 2 CM Tipo L Ángulo 44x99,55 cm - 17,32"x39,19"	G-2609 G-2815		Cracked Outdoor 2CM Grid 24,75x99,55 cm - 9,74"x39,19"	G-2375			
				Cracked Outdoor 2CM Grid 24,75x24,75cm - 9,74"x9,74"	G-2171			
Series	Format&Thickness	Unit	Boxes/Pallet	m²/Pallet	m³/Box	Pieces/Box	Kg/Pallet	Kg/Box
Cracked 2 CM	49,75x99,55x2 cm	m²	36	17,82	0,50	1	825,03	22,36



Outdoor Floor: Cracked Grey Outdoor 2cm 49,75x99,55 cm